
Study of the Vapor Adsorption on Adsorbents With Heterogeneous Surface. Communication 2. Experiments With Organically Substituted Silica Gel

S/062/60/000/009/002/021 B023/B064

silica gel thus obtained is called C-1 (S-1). A portion of silica gel S-1 was treated with nitric acid vapors at 200°C for 6 h. Thus, the organic part of the surface was oxidized, the CH₃ radicals substituted by OH

groups, and the methylated silica gel with hydrophobic properties became hydrophilic. This specimen was called C-2 (S-2). The composition of the surface of silica gel S-1 and S-2 was determined by an organic analysis. The analysis was carried out at the same time as the determination of the weight losses in calcination at 1250°. Table 1 shows the analytical results. It may be seen that the demethylation of the surface leads to an increase of its degree of hydration. The specific surface of the specimen changed by 3%. Nitrogen, cyclohexane, benzene, and water were used as adsorbates. Figs. 1-4 show the sorption branches of the adsorption isothermal lines of the vapors of these substances. In all cases, the isothermal lines for S-1 are lower than those for S-2. Table 2 gives a comparison among the specific sorption volumes. The authors explain their results with the help of the respective published data. Summing up: 1) The

Card 2/3



15.2110

67896

AUTHORS:

Kiselev, V. P., Krasil'nikov, K. G., B004/B007

Khodakov, G. S.

TITLE:

The Influence of the Aggregation of Quartz Particles During Grinding Upon Its Adsorptive Properties

PERIODICAL:

Doklady Akademii nauk SSSR, 1960, Vol 130, Nr 6, pp 1273 - 1276 (USSR)

ABSTRACT:

In reference 1 it was said that the specific surface of airdried quartz decreases with an increase of the duration of grinding. This was explained by the aggregation of the quartz particles. The authors aimed at investigating this phenomenon more thoroughly and to find out whether its effects on the adsorption of nitrogen, and water differ. They maintain that this phenomenon is the cause of the considerable discrepancy in published data for adsorption values and adsorption energy of quartz. Two samples of highly dispersive quartz were investigated. Sample Kv-4 was obtained by grinding transparent crystalline quartz with an excess of water, sample Kv-4A by further grinding Kv-4 in air. On both samples, the adsorption of nitrogen and steam was measured (Table 1). As shown by

Card 1/3

The Influence of the Aggregation of Quartz Particles S/020/60/130/06/026/059 During Grinding Upon Its Adsorptive Properties B004/B007

figure 1, the adsorption isothermal line of nitrogen on Ky-4A is lower than in the case of Kv-4 because of particle aggregation, whereas the adsorption isothermal line of steam is higher. Also figure 2 shows that the different kind of grinding the same quartz affects the adsorption of nitrogen and steam differently. This phenomenon has not yet been explained. It is presumed that relatively dense aggregates are formed, the inner surfaces of which are inaccessible to the nitrogen, whereas the adsorption of water is not impaired by these aggregations because of its dispersive (peptizing) properties. Such phenomena of aggregation were observed also in the case of other substances (corundum, calcite, silica gel) in dry grinding. The authors thank Academician P. A. Rebinder for his interest in this paper, and G. I. Aleksandrova for assisting in measurements. There are 2 figures, 1 table, and 21 references, 13 of which are Soviet.

ASSOCIATION:

Card 2/3

Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova (Moscow State University imeni M. V. Lomonosov). Vsesoyuznyy nauchno-issledovatel skiy institut novykh stroitel nykh

BONDARENKO, A.V.; KISELEV, V.F.; DRASIL'NIKOV, K.G.

Composition of products of the thermal dehydration of silica and properties of its dehydrated surface. Kin.i kat. 2 no.4:590-598 Jl-Ag '61. (MIRA 14:10)

1. Moskovskiy gosudarstvennyy universitet imeni M.V. Lomonosova, fizicheskiy fakulitet.

(Silica) (Dehydration (Chemistry))

GANICHENKO, L.G.; KISELEV, V.F.; MURINA, V.V.

Adsorption properties of the crystalline titanium dioxide surface. Kin.i kat. 2 no.6:877-886 N-D '61. (MIRA 14:12)

1. Moskovskiy gosudarstvennyy universitet, fizicheskiy fakul tet.
(Titanium oxide)
(Adsorption)

5.4600

3/076/61/035/006/012/013 B127/B203

AUTHORS:

Tagiyeva, M. M. and Kiselev, V. F.

TITLE:

Investigations of the effect of gamma radiation on the

surface properties of silica

PERIODICAL:

Zhurnal fizicheskoy khimii, v. 35, no. 6, 1961, 1381-1382

TEXT: Highly disperse KB-3 (KV-3) quartz and aerosol were exposed to gamma radiation. Co 60 was used as radiation source. The radiation dose for both specimens was 12.106 r. Radiation lasted 24 hr. The experiment was made at room temperature. The ampulla with the adsorbent, equipped with a glass diaphragm, was evacuated at 200°C to a vacuum of 5.10-5 mm Hg. To remove the products formed during irradiation, the ampulla was sealed on to a receiving vessel filled with silica gel and immersed in liquid nitrogen. For measuring the adsorption of the ${\rm H_20}$ vapor and the ${\rm O_2}$, the ampulla was sealed on to a vacuum apparatus. The glass diaphragm was broken by the high vacuum. The content of structural water was determined in the same manner by measuring the steam pressure. The water was released Card 1/3

Investigations of the effect of ...

S/076/61/035/006/012/013 B127/B203

by heating to 1000° C. By the irradiation, the surface was dehydrated to a large extent. At the radiation dose indicated, about 2 µmoles of crystal water were separated per m² surface of the aerosol, which corresponds to a dehydration of this specimen at 800° C during 24 hr. The reduction of the OH⁻ groups on the surface can be judged by the steam absorption specific of the surface state. The adsorptive capacity of quartz and aerosol is immediately reduced by irradiation. At the same dosage, the adsorptive capacity of the more intensely hydrated quartz specimen is also reduced to a higher extent. In the interaction of gamma photons with silanol groups, the formation of free radicals is possible:

$$)-si'-(or)-si-($$

The measurement of the irreversible adsorption of 0_2 on the aerosol surface at room temperature yielded the value of $0.3~\mu mole/m^2$. This is by two powers higher than in irradiation with ultraviolet light. Principally, the Card 2/3

24659 S/076/61/035/006/012/013 B127/B203

Investigations of the effect of ...

O₂ adsorption proceeds on the free radicals. Their concentration on the surface is not high, only 5% of the disrupted Si-O-H bonds are preserved in the form of free radicals. The major part of the SiO₄ tetrahedrons undergo a rotation which leads to an amalgamation of the bonds. The SiO₂ was also observed to turn gray. Irradiation was carried out at the Nauchno-issledovatel'skiy institut rezinovoy promyshlennosti (Scientific Research Institute of the Rubber Industry) in Professor A. S. Kuz'minskiy's laboratory. There are 1 figure, 1 table, and 7 references: 6 Soviet-bloc and 1 non-Soviet-bloc. The reference to the English-language publication reads as follows: Livingston R., Zeldes H., Taylor E. H., Faraday Soc. Disc., 19, 166, 1955.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova

(Moscow State University imeni M. V. Lomonosov)

SUBMITTED: Ju

June 14, 1960

Card 3/3

GANICHERRO, L.G.; KISELEV, V.F.; KRASIL'NIKOV, K.G.; MURINA, V.V.

Refect of the nature of silica gel and quartz surfaces on their adsorption properties. Part 4: Adsorption and heat of adsorption of alighatic alcohols on powdered silica gel.

Zhur.fiz.khin. 35 no.8:1718-1726 Ag '61. (MIRA 14:8)

1. Moskovskiy gesudarstvennyy universitet imeni M.V.

Lomonosova. (Alcohols) (Adsorption)

ALTONOMO CONTROL DE CO

Chemica surface	l adsorption . Zhur.fiz.	of oxygen on khim. 35 no.8:	1885-1886 Ag	61.		
l. Mos	kovskiy gosu (Oxygen	darstvennyy un) (Adsorption	iversitet, fi	(MIRA 14:	fakul'tet.	
						rand from

OV. M.M.; KISELEV, V.F.; KRASIL'NIKOV, K.G. (Moscow) Effect of the nature of silica gel and quartz surfaces of	on their
adsorption properties. Part 5: Adsorption of water vapor surface of crystalline and amorphous modifications of since the control of the contr	or on the
1. Moskovskiy gosudarstvennyy universitet imeni M.V.Lomo (Adsorption) (Silica)	onosova.
일 등록 시간한 첫번째를 보통할 것도 있는데 하는데 하는 것이 없다. 물건이 사용한 경기를 하는데 되었다. 물건이 사용한 경기를 하는데 되었다.	
고 있는 것이 되는 것이 없었습니다. 그렇게 하는 것이 없었다. 	

l. Moskovakiy gos.universitet im. M.V.Lomonosova. Predstavleno akad. M.M.Dubininym. (Silica) (Dehydration) (Surface chemistry)	DOKT NA SOSA	130 10.5:	1135-1136 F 1	61.	of its surface. (MIRA 14:5)
(Silica) (Dehydration) (Surface chemistry)	119 LIST OF DITTITIONS				
	(Si	lica) (I	ehydration)	(Surface chemi	stry)
사용하는 현실 보고 하시는 것이 되는 것을 하면 하지 않는 것이 되었다. 그는 기가 되었다. 그는 기가 되었다. 그는 그를 가능하는 것을 모르는 것이 되었다. 그는 그는 것이 되는 것이 되었다. 그는 것이 되었다는 것이 되었다. 그는 것이 되었다면 되었다. 그는 것이 되었다					

GANICHENKO, L.G.; KISELEV, V.F.

Investigating the surface properties of titanium dioxide crystals.
Dokl.AN SSSR 138 no.3:608-611 My '61. (MIRA 14:5)

1. Moskovskiy gosudarstvennyy universitet im. M.V.Lomonosova.
Predstavleno akademikom M.M.Dubininym.

(Titanium dioxide crystals)

S/020/61/139/005/021/021 B103/B208

5.4400 AUTHORS:

Fedorov, G. G., Zarif yants, Yu. A., and Kiselev, V. F.

TITLE:

Chemical and physical adsorption of oxygen on the surface of freshly split graphite

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 139, no. 5, 1961, 1166-1169

TEXT: The authors studied the adsorption mentioned in the title by using finely ground natural graphite which was pulverized in an argon atmosphere. Studies of this kind are regarded as being important in the search for new ways of surface modification, in order to obtain efficient adsorbents and polymer fillers. One of the applied samples was specially purified. The pulverized samples had a specific surface of 275 and 400 m²/g. They were put into the volumeter under exclusion of air. The specific surface was determined after a cycle of absorption measurements with oxygen from the low-temperature nitrogen adsorption by the best (BET) method. The specific adsorption values of both samples were found to fit well single isotherm. This indicates the good reproducibility of the surface propersises for the grinding method applied. Control experiments showed that

S/020/61/139/005/021/021 B103/B208

Chemical and physical

the fine iron powder which is always present (some fractions of one percent) in graphite thus ground adsorbs not more than 0.5% of the adsorbed amount of graphite. The interaction of oxygen with the fresh cleavage plane of graphite at room temperature is a typical case of activated chemical adsorption. The physical adsorption is extremely low at these temperatures. Adsorption equilibrium is quickly attained in the initial stage, which indicates the low activation energy of the process. With further pressure increase the adsorption increases very slowly. The graphite surface is thought to be inhomogeneous. It consists of sites with different adsorption activity. The surface is saturated with chemisorbed oxygen already at a pressure close to the atmospheric one. Desorption measurements disclosed that all the oxygen adsorbed was irreversibly bound to the surface. No further adsorption takes place on an oxidized sample. The adsorption activity of samples kept at room temperature in an argon atmosphere for 1, 10, and 30 days did not change. Specific adsorption was reduced by about 20% by heating an ampul with nonoxidized graphite at 300°C for 50 hr. This may be due to partial saturation of the surface by gas molecules which escaped from the glass during heating. Graphite roasted at 800°C for 24 hr in an ampul which had Card 2/4

Chemical and physical ...

\$/020/61/139/005/021/021 B103/B208

previously been degassed, lost only 10% of its adsorption. Such a high stability of free radicals on the surface makes graphite a suitable test object of the elementary interactions of various molecules with the surface radicals. Pulverization of graphite in dry air destroys the crystals in all crystallographic directions. The large surface thus formed has a high content of ruptured π or g tonds which form centers of chemical O_2 adsorption on the surface. On the other hand, the activity of π -electrons may be increased by lattice deformations in the basal plane which also contributes to an increase in adsorption activity. By measuring the adsorption isotherms at ~196°C, the authors proved that the chemisorption of oxygen at these temperatures is insignificant. The isotherms have hysteresis loops both on the initial and on the oxidized graphite sample. The authors believe that this loop which extends to the range of low relative pressures, is due to a certain swelling of the sample. The 0_2 molecules may penetrate into the interplanar spaces of the graphite crystals which were largely destroyed during grinding. In the high-pressure range, the hysteresis is obviously due to capillary condensation in the pores and gaps between the particles. The descrption isotherm shows a Card 3/4

Chemical and physical as a

5/020/61/139/005/021/02 B103/B208

break at P/Pg = 0.25. This break may be related to the clearing of some pores which were filled at high vapor tensions. This break did not appear at low pressures. The adsorption isotherm of nitrogen shows no hysteresis phenomena in this pressure range. This is explained by a higher penetrability of O2 at low temperatures. For this reason, the specific surface of fine-disperse graphite which was calculated from the low-temperature N2 adsorption, may be a little too low, as compared with the surface accessible to 02 molecules. This fact is however, negligible for the authors; conclusions. There are 3 figures and 6 references; 4 Soviet-bloc and 2 non-Soviet-bloc. The reference to English-language publications reads as follows: T. Koutezký, H. Tomašek, Phys. Rev., 120, 1212 (1960).

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova (Moscow State University imeni M. V. Lomonosov)


PRESENTED:

March 15, 196 by M. M. Dubinin, Academician

SUBMITTED:


March 13, 1961

Card 4/4



KCK-3 (KSK-3) were used for the investigation. The N/R measurements were carried out at room temporature on a sample of
the content maxima on the differential curve. The second moment was
additions of water vapour in the amount of the signal absorption,
and adsorption measurements were carried out by means of a
directly from calorimetric measurements or by the differentiation
of the curve relating the heat of wetting and the amount of water
wetting curves, differential curves of the changes in free energy
and entropy of adsorption were calculated. It was shown that
evacuated at 200 °C. In the initial stage of adsorption a sharp
observed. These changes in the NRR signale agree upon the adsorption a sharp
observed. These changes in the NRR signale agree upon the the
adsorption. The possibility of interaction of water molecules

Card 2/3



S/076/62/036/009/002/011 B101/B102

AUTHORS: Yegorov, M. M., Ignat'yeva, L. A., Kiselev, V. F., Krasil'nikov, A. G., and Topchiyeva, K. V.

TITLE: Study of the surface properties of catalytic aluminum oxide

PERIODICAL: Zhurnal fizicheskoy khimii, v. 36, no. 9, 1962, 1882 - 1889

TEXT: The specific heat of wetting of commercial \$1203 by water, methanol, ethanol, and n-heptane, and the content of structural water \$1203 were measured, the phase composition of \$1203 was determined by x-ray analysis, and the infrared spectrum of deuterated \$1203 was taken. Whereas with n-heptane the heat of wetting is independent of the content of structural water in \$1203, it increases, in the case of water and alcohols, with increasing thermal dehydration of \$1203. Since, however, the specific surface of \$1203 becomes smaller at high annealing temperatures, the heat of

Card 1/3

source sphere of the Al

Study of the surface ...

\$/076/62/036/009/002/011 B101/B102

surface alons which is not fully occupied after the thermal dehydration is filled up by water or alcohols with formation of hydrate or alcoholates, respectively. The irreversible sorption of alcohols increases after thermal treatment of Al203 at high temperature. There are 4 figures and 2 tables.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova, Fizicheskiy i khimicheskiy fakul'tety (Moscow State University imeni M. V. Lomonosov, Physical and Chemical Departments)

SUBMITTED:

November 1, 1960



Card 3/3

CIA-RDP86-00513R000722810012-8" **APPROVED FOR RELEASE: 09/17/2001**

ZARIF'YANTS, Yu.A.; KISELEV, V.F.; LEZHNEV, N.N.; NOVIKOVA, I.S.; FEDOROV, G.G.

Synthesis and functional analysis of oxygen complexes on a surface of freshly cleft graphite. Dokl. AN SSSR 143 no.6:1358-1361 Ap '62.

1. Moskovskiy gosudarstvennyy universitet im. M.V.Lomonosova i Nauchno-issledovatel skty institut shinnoy promyshlannosti. Predstavleno akademikom M.M.Dubininym.

(Graphite) (Surface chemistry) (Oxygen compounds)

37521 s/020/62/144/001/021/024 B124/B101

5.4400

Zarif'yants, Yu. A., Kiselev, V. F., and Fedorov, G. G.

TITLE:

AUTHORS:

Differential adsorption heats of oxygen and water vapor on the

surface of graphite

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 144, no. 1, 1962, 151-154

TEXT: Fine-disperse graphite with a specific surface S = 350 m²/g, which had been obtained from natural graphite crushed in a ball mill in an argon atmosphere, was used in the experiments. Adsorption heats were measured using an automatic calorimeter with constant heat exchange; measured using an automatic calorimeter with constant heat exchange; oxygen adsorption was determined by a volumetric method, and by water vapor adsorption with magnesium perchlorate. These methods were described in Ref. 7 (ZhFKh, No. 6 (1962)). The initial adsorption heats of oxygen were very high (110 kcal/mole). With a surface coverage of about 0.5 µM/m² of oxygen, the differential adsorption heat begins to decrease, and with

 $1\mu\text{M/m}^2$, its value is only ~50 kcal/mole. The results obtained show a high degree of reproducibility on fresh cleavage areas of graphite. The high initial adsorption heats are due to the formation of carbonyl groups, Card 1/3

S/020/62/144/001/021/024 B124/B101

Differential adsorption heats of ..

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V.

Lomonosova (Moscow State University imeni M. V. Lomonosov)

PRESENTED: December 26, 1961, by M. M. Dubinin, Academician

SUBMITTED:

December 23, 1961

Card 3/3

L 17720-63 EPR/EPF(c)/EWP(q)/EWT(m)/BDS AFFTC/ASD 8/0076/63/037/007/1619/1622 ACCESSION ER: AP3004073 AUTHORS: Fedorov, C. C.; Zarif'yants, Yu. A.; Kiselev, V. F. Analysis of the surface properties of a fresh fracture in graphite TITLE: SOURCE: Zhurnal fizicheskoy khimii, v. 37, no. 7, 1963, 1619-1622 TOPIC TAGS: graphite, oxygen, oxygen adsorption, heat of adsorption. ABSTRACT: Authors analyzed the reaction capability of the surface of a fresh graphite fracture with respect to oxygen. A specially-purified, natural graphite was used in the experiments. A thin grist was obtained in a laboratory-type steel vibratory mill with an overpressure of purified argon. The powder was then plured into a glass ampule which was then soldered to the adsorption apparatus. After prolonged evacuation and deseration of the apparatus to a vacuum of 1x10-5 mp mercury column, the disphragm was broken, the sample was evacuated and the oxygen adsorption was measured. Differential heats of oxygen adsorption were determined. The inhibiting effect of the reaction products on the oxidation process of a fresh fracture was demonstrated. Assumptions concerning a possible mechanism of oxidation of the graphite surface were pointed out. Orig. art. has: 2 figures. ASSOCIATION: Moscow state unversity.

SCURCE: Investigation of the surface properties of the freely aplitted graphite. SCURCE: Zhurnal fix. khimii, v. 37, no. 8, 1963, 1846-1849 TOPIC TAGS: heat adsorption by graphite, water vapor heat adsorption ABSTRACT: Authors studied the adsorption of water vapors on a fresh surface of graphite. Measurement of the water vapor adsorption shows that the physical adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m. The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite surface and its value was 1 µ mole/m. Thus, the retention of fresh graphite in	ABSTRACT: Authors studied the adsorption of water vapors in a fresh surface of graphite. Measurement of the water vapor adsorption shows that the physical adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m. The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite surface and its value was 1 µ mole/m. Thus, the retention of fresh graphite in	ACCESSION NR. AL	P3004981 WH/K S/0076/(3/037/008/1846/1849
FORIC TAGS: heat adsorption by graphite, water vapor heat adsorption ABSTRACT: Authors studied the adsorption of water vapors on a fresh surface of graphite. Measurement of the water vapor adsorption shows that the physical adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m. The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite surface and its value was 1 µ mole/m. Thus, the retention of fresh graphite in	FORIC TAGS: heat adsorption by graphite, water vapor heat adsorption ABSTRACT: Authors studied the adsorption of water vapors on a fresh surface of graphite. Measurement of the water vapor adsorption shows that the physical adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m. The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite surface and its value was 1 µ mole/m. Thus, the retention of fresh graphite in	AUTHORS: Zarif'	yants, Yu. A., Kiselev, V. P., Fedorov, G. C.
ABSTRACT: Authors studied the adsorption of water vapors on a fresh surface of graphite. Measurement of the water vapor adsorption shows that the physical adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m. The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite surface and its value was 1 µ mole/m. Thus, the retention of fresh graphite in	ABSTRACT: Authors studied the adsorption of water vapors on a fresh surface of graphite. Measurement of the water vapor adsorption shows that the physical adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m. The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite surface and its value was 1 µ mole/m. Thus, the retention of fresh graphite in	PITLE: Investig	ation of the surface properties of the freely splitted graphite
ABSTRACT: Authors studied the adsorption of water vapors in a fresh surface of graphite. Measurement of the water vapor adsorption shows that the physical adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m. The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite surface and its value was 1 µ mole/m. Thus, the retention of fresh graphite in	graphite. Measurement of the water vapor adsorption shows that the physical adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m². The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite surface and its value was 1 µ mole/m². Thus, the retention of fresh graphite in	SCURCE: Zhurnal	fis. khimii, v. 37, no. 8, 1963, 1846-1849
graphite. Measurement of the water vapor adsorption shows that the physical adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m. The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite surface and its value was 1 µ mole/m². Thus, the retention of fresh graphite in	adsorption isotherm is complicated by a chemical reaction. The value of the irreversible adsorption measured after the adsorption cycle on the surface of fresh graphite, kept for a period of 48 hrs. in saturated water vapors, consists of 0.53 µ mole/m. The differential of heat adsorption in the region of small surface area is almost four times greater than the heat of physical adsorption for the usual oxidizing hydrocarbon adsorptions. Apparently, the first traces of water adsorb chemically on the valence-saturated carbon atoms. The graphite was left for 12 hrs. to be exposed to atmospheric oxygen before the desorption was measured. Almost all adsorbed oxygen was irreversibly bound with the graphite	TOPIC TAGS: hea	it adsorption by graphite, water vapor heat adsorption
	· 프로그램 시설 시설 전 전 하는 사람들은 사람들은 전 전 경험을 가득하는 사람들은 사람들이 되었다. 그는 사람들이 사람들이 사람들이 가는 것이 되었다. 사람들은 사람들은 사람들은 사람들은 사람들은	graphite. Measu adsorption isoth irreversible ads fresh graphite, of 0.53 µ mole/m surface area is for the usual ox of water adsorb was left for 12 was measured. A	rement of the water vapor adsorption shows that the physical nerm is complicated by a chemical reaction. The value of the sorption measured after the adsorption cycle on the surface of kept for a period of 48 hrs. in saturated water vapors, consists at the differential of heat adsorption in the region of small almost four times greater than the heat of physical adsorption cidizing hydrocarbon adsorptions. Apparently, the first traces chemically on the valence-saturated carbon atoms. The graphite hrs. to be exposed to atmospheric oxygen before the desorption almost all adsorbed oxygen was irreversibly bound with the graphite

adsorption of oxygen on i	es not result in full passivation to surface is accompanied by the cates chemical adsorption. Original	release of a large	
ASSOCIATION: Moskovskiy cow state university, phy	gosudarstvenny*y universitet fiz: sics faculty)	ibheskiy facul'tet (Mos-	
SUBMITTED: 19Sep62	DATE ACQ: O6Sep63	ENCL: 00	
SUB CODE: PH, CH	NO REF SOV: 006	OTHER: COL	
Card 2/2 /			

		10°TO85744-5746	0 '63.	•	Part 3. Zhur. (MIRA 17:2)	
1.	, Moskovskiy	gosudarstvenny	y universited			
				7		

KAZANSKIY, V.B.; NIKITINA, O.V.; PARIYSKIY, G.B.; KISELEY, V.F.

Electron paramagnetic resonance study of the radical form of molecular, oxygen adsorption on reduced titanium dioxide. Dokl.

AN SSSR. 151 no.2:369-372 Jl '63. (MIRA 16:7)

1. Institut khimicheskoy fiziki AN SSSR i Moskovskiy gosudarstvennyy universitet im, M.V.Lomonosova. Predstavleno akademikom V.N.

Kondrat'yevym. (Titanium oxides--Spectra) (Oxygen) (Adsorption)

Spectral curves of the depolarization of silver chloride crystals.

Zhur. nauch. i prikl. fot. i kin. 9 no.5:357-359 S-0 164.

(MIRA 17:10)

1. Institut kristallografii AN SSSR i Fizicheskiy fakulitet Moskovskogo gosudarstvennogo universiteta imeni Lomonosova.

DOBROVOL'SKIY, N.N.; ZARIF'YANTS, Yu.A.; KISELEV, V.F.; LEZHNEV, N.N.; FEDOROV, G.G.

Properties of the surface of a freshly left graphite. Part 4. Zhur. fiz. khim. 38 no.2:506-509 F 164. (MIRA 17:8)

l. Moskovskiy gosudarstvennyy universitet Nauchno-issledovatel - skiy institut shinnoy promyshlennosti.

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722810012-8

L 35090-65 EEC(b)-2/EFF(c)/EPR/EMO(1)/EWP(1)/EWT(1)/EWT(m)/EEC(t)/EWP(b)/T/EWP(c)

ACCESSION NR: AP5006698 S/0076/65/039/002/0461/0462

AUTHOR: Kvlividze, V. I.; Zarif'yants, Yu. A.; Kiselev, V. F.

TITLE: Surface properties of fresh cracks in graphite. VI. Nuclear magnetic resonance in polyethylene with a freshly cracked graphite filler

SOURCE: Zhurnal fizicheskoy khimii, v. 39, no. 2, 1965, 461-462

TOPIC TAGS: cracked graphite, filled polyethylene, mobile hydrocarbon group, nuclear magnetic resonance, graphite filler, graphite surface

ABSTRACT: The influence of a filler on the NMR spectrum of natural and synthetic rubber was studied earlier by several researchers (see, e.g., I. Ya. Slonim, Usp. khimii, 31, 609, 1962). In the present work, the NMR signals from pure polyethylene were compared with those from polyethylene samples filled with freshly-cracked graphite. The results show that the active filler significantly modifies the shape of the NMR signals. The authors also found a widening of the narrow component of the NMR signal which indicates that the most mobile hydrocarbon groups of the amorphous part of the polymer are being braked. The introduction of graphite with oxidized surfaces results in less drastic changes in the structure of the NMR signals. To obtain deeper insight into the polymer-filler Card 1/2

L 35090-65	ر برمون درساس سازم در درسان		• • • • • • • • • • • • • • • • • • •	and the second s					
	NR: AP5006						•		
Orig. art.	has: 1 fi	gure and	i table.	有可引擎极的各名 化环己烯基二十二十二	No. 1		en en regressemme. En en regressemme.		
ASSOCIATIO	N: Moskove ate univers	ski y gosud sity) -	arstvenn	yy universitel				135 - 114 1	
SUBMITTED:	260ct63	. :	ENCL:	00	នហ	B CODE:	MT, GC		:
JULII LIMB.	2000503								
NO REF SOV			OTHER:					,	
			,						
			,						
			,						
1			,						

FIGUROVSKAYA, Ye.N.; KISELEV, V.F.; VOL'KENSHTEYN, F.F.

Effect of chemisorption of oxygen on the work function and conductance of titanium dioxide. Dokl. AN SSSR 161 no.5:1142-1145 Ap '65. (MIRA 18:5)

1. Moskovskiy gosudarstvennyy universitet i Institut fizicheskoy khimii AN SSSR. Submitted October 28, 1964.

KVIIVINE, V.T.; KISEINV, V.F.; STRPINSKIY, V.V.

Nuclear magnetic resonance study of water protons in zeolites at low temperatures. Dokl. AN SSCR 165 no.5:1111-1114 D 165. (MIRA 19:1)

1. Moskovskiy gosudarstvennyy universitet im. M.V. Lemonosova 1 Institut fizicheskoy khimil AN SSER. Submitted May 8, 1965.

the initial stage of filling of the surface. It is postulated that at this stage, a part of the molecules enter into donor-acceptor bonds with the coordination-unsaturated surface atoms of gormanium, which have vacant and sufficiently low d orbitals. At the same time, the electron density of the unshared electron pair of oxygen (in the H20 molecule) is drawn into the d subshell of the germanium atom; Ge thus acquires a net APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722810012-8

Card 1/2

		At 050-750	TA Abanda					any time
			fication of G	ure of the oxid tetragonal mod	lose-packe	rts to the c	conve	tructure
0-	ins to de	film begins	The oxide f	activity and t	on centers	recombinati	ase for	s the ba
lon	centrat1	efect conce	ecause the de	negative side figure.		K, and Ig sh ly. Orig. a		
				ORIG REF: 003	15Jan66/	SUEM DATE:	20/	DB CODE
							,	
	6 17.0 1		•					
		y . I distri						

L 10783-67 EWT(m) ACC NR: AP7003505 SOURCE CODE: UR/0076/66/040/006/1396	5/1399
AUTHOR: Prudnikov, R. V.; Kiselov, V. F.	78
ORG: Physics Faculty, Moscow State University im. M. V. Lomonosov (Moskovskiy gvennyy universitet, Fizichoskiy fakul'tot) "Effects of the Adsorption of Water on the Rate of Surface Recombination and Surface Conductivity of Germanium"	osudarst-
Moscow, Zhurnal Fizicheskov, Khimii, Vol 40, No. 6, Jun 66, pp 1396-1399	
ABSTRACT: The effects of water adsorption on surface recombination of surface conductivity of and the surface potential of the n-type with an oxidized surface were studied. Of increased with increasing temperatures of the treatment of the surface in vacuo. Adsorption of water on the initial the initial the region of low filling of the surface reduced there was no further change at higher degrees of filling. Adsorption on thermally treated samples resulted in an abrupt decrease of the initial then approached the value for the initial sample. During desorption the decreased along a curve for the initial sample. After evacuation the initial value of the was restored. Dehydration and rehydration in the 20-200 range resulted in reversible changes of the initial required	
경기 가입니다. [1] 이 시간 경기는 사람들은 발표를 받는 것이 되었다. 그는 사람들이 되었다. 그는 사람들이 되었다. 	
Card 1/2 UDC: 541.183	-0040

for a stable values of 6	alue of C	to bed	ome establi	sh e d did no	ot exceed	5 min. The those of	10	
4 were displayed due to donor-a	laced into cceptor i	the pos steraction	itive range n of water i	. The phermolecules r	nomena ob with coor	served were dinatively	3 1	
unsaturated Ce	atoms at	the surf	ace. Orig.	art. has:	2 figur	os. [JPRS:	38 , 96 <u>7</u>	7
OPIC TAGS: ger UB CODE: 20, 0						ंचवद क्राफ	002	
08 (0003) 20, 0	7 7 300	M DAILS!	7,000		. 000 /	VIA ROFI		

EWT(m)/EWP(t)/ETI IJP(c) L 35325-66 ACC NR. AP6026838 SOURCE CODE: UR/0020/66/166/002 AUTHOR: Prudnikov, R.V.; Kiselev, V.F.; Yegorov, M.M. ORG: Moscow State University (Moskovskiy gosudarstvennyy universitet) TITLE: Investigation of the adsorption properties of a germanium dioxide surface SOURCE: AN SSSR. Doklady, v. 166, no. 2, 1966, 395-398 TOPIC TAGS: germanium compound, adsorption, hydrolysis, dehydration, molecular structure, chemical stability, reaction temperature ABSTRACT: The authors studied the adsorption properties of germanium dioxide specimens produced by hydrolysis of germanium tetrachloride. Water was used as the adsorbate since it is highly sensitive to the state of the oxide surface. Curves are given showing the specific surface, content of structural water calculated per gram and per square meter of the surface, and irreversible adsorption of water as functions of temperature. The greatest losses of water take place when the specimen is heated to 300°. Dehydration takes place without any noticeable change in the specific surface. Calculation of the structural water content per unit area shows an unusually high value at low temperatures, much greater than that for silicon and titanium oxides. Apparently a part of the water at low temperatures is located in structural defects in deformed GeO2 particles produced by partial transition from the UDC : 561.183.2 Card 1/2 09/4

ACC NR: AP7012437

SOURCE CODE: UR/0020/66/171/002/0374/0377

AUTHOR: Kiseley V. F .: Nikitina, O. V.

ORG: Moscow State University im. M. V. Lomonosov (Moskovskiy gosudarstvennyy universitet); Scientific Research Institute of the Tire Industry (Nauchnoissledovatel'skiy institut shinnoy promyshlennosti)

TITLE: Valency state of peripheral carbon atoms on the surface of a fresh graphite fracture

SOURCE: AN SSSR. Doklady, v. 171, no. 2, 1966, 374-377

TOPIC TAGS: adsorption, graphite, electron paramagnetic resonance, chemical valence

SUB CODE: 07

The adsorption properties and the electronic paramagnetic resonance ABSTRACT: spectra of graphite powders vibropulverized under different conditions were studied. The specific surfaces of the specimens determined (after completion . of adsorption measurements) from low-temperature adsorption of nitrogen varied from 180 to 230 meters²/gram, corresponding to particle size of about 200 AU.
Plotting of micromoles/meter² versus torrs of pressure gave a variable of irreversible adsorption of 0.65 micromole/meter2. Considering that oxygen is UDC: -541.515 + 541.183.26+541.18.053 Card 1/2

0932 1386

adsorbed in the atomic form, this is equivalent to a concentration of active sites of about 10¹⁴ sites/cm². However, this value characterizes the mean concentration of sites over the entire particle surface. Only the prismatic facets are reactive. Recalculation of the concentration of active sites on the surface of the prismatic facets leads to a value of about 10¹⁵ sites/cm², which is close to the concentration of carbon atoms on the surface of these facets. Orig. art. has: 2 figures and 1 formula. [JPRS: 40,422]

62-58-5-3/27

AUTHORS:

Mikhaylov, B. M., Kiselev, V. G., Bogdanov, V. S.

TITLE:

Radiation-Chemical Conversions of Organic Substances (Radiatsionno-khimicheskiye prevrashcheniya organicheskikh veshchestv) Communication 3: Conversions of Ethylene Under the Action of Rapid Electrons (Soobshcheniye 3. Prevrashcheniya etilena

pod vliyaniyem bystrykh elektronov)

PERIODICAL:

Izvestiya Akademii Nauk SSSR, Otdeleniye Khimicheskikh Nauk, 1958, Nr 5, pp. 545 - 549 (USSR)

ABSTRACT:

Mund and Kokh (Reference 2) investigated for the first time the radiation-action of high energy on ethylene. They found out that ethylene is converted into hydrogen under the influence of α -particles. Lind and his collaborators (Reference 3) obtained hydrogen and small quantities of methane and ethane by means of irradiation of ethylene by α -particles. Mak-Lennan and Patrik (Reference 4) discovered also acetylene besides: H₂ and CH₄ in the reaction products of the radiolysis

Card 1/3

of ethylene. Moreover it was found that ethylene is con-

Radiation-Chemical Conversions of Organic Substances. 62-58-5-3/27 Communication 3: Conversions of Ethylene Under the Action of Rapid Electrons

> verted into polyethylene or into liquid products on the action of y-radiation. In the present work, the conversions of ethylene under the action of rapid electrons were investigated, as well as the influence of the irradiation-time of the initial pressure, the dilution of the initial ethylene by means of nitrogen and hydrogen. Gaseous and liquid reaction--products were subjected to the analysis. The authors found that the initial products of the radiolysis of ethylene do not represent hydrogen and methane, as was previously assumed, but butane and acetylene (References 2 to 4). The gaseous reactionproducts contain, besides butane and acetylene, small quantities of C2H6, C4H8 and H2, as well as traces of propylene. Liquid reaction-products (boiling out up to 130°C) consist of aliphatic hydrocarbons C6 and C8. The highest fractions contain important quantities of aromatic and unsaturated hydrocarbons. The formation of hexane, octanes of butane and other highest alkanes is carried out by means of the condensation of aliphatic biradicals and of an even number of carbon atoms with subsequent hydration of the same. The energetic yield of reaction:

Card 2/3

Radiation-Chemical Conversions of Organic Substances. Communication 3: Conversions of Ethylene Under the Action of Rapid Electrons 62-58-5-3/27

16 molecules per 100 eV. A reduction of the initial pressure increases the degree of decomposition of ethylene without influencing the course of reaction. A dilution of ethylene by means of nitrogen increases the conversion substantially (with intense reduction of the yield of gaseous hydrocarbons). A dilution by means of hydrogen does not influence the radiolysis of ethylene. There are 2 figures, 4 tables and 10 references, 4 of which are Soviet.

ASSOCIATION:

Institut organicheskoy khimii im. N. D. Zelinskogo Akademii

nauk SSSR (Institute for Organic Chemistry imeni N.D. Zelinskiy,

SUBMITTED:

February 8, 1957

1. Organic substances--Effects of radiation 2. Radiation--Chemical effects

Card 3/3

5/062/60/000/009/011/021 B023/B064

AUTHORS:

Mikhaylov, B. M. and Kiselev. V.

TITLE:

Radiation-chemical Transformations of Organic Substances. Communication 4. Oxidation of Ethylene by Oxygen Under the

Action of Fast Moving Electrons

PERIODICAL:

Izvestiya Akademii nauk SSSR. Otdeleniye khimicheskikh

nauk, 1960, No. 9, pp. 1619-1628

TEXT: The authors studied the oxidation of ethylene by oxygen in the gaseous phase under the action of a beam of fast moving electrons. The following problems were clarified: effect of the radiation time, ratio of the initial gases, temperature and material of the reaction vessel. Experiments on the effect of the total dose upon the oxidation process were carried out with ethylene - oxygen mixtures. The ratio was 1: 1. Further conditions: room temperature, initial pressure equal to the atmospheric pressure, the vessel - an aluminum chamber. The time of radiation was between 5 and 45 minutes, the radiation doses were 0.2·10²³ - 1.7·10²³ ev. Figs. 1-4 list the experimental results. It is Card 1/4

Radiation-chemical Transformations of Organic Substances. Communication 4. Oxidation of Ethylene by Oxygen Under the Action of Fast Moving Electrons

S/062/60/000/009/011/021 B023/B064

shown that ethylene reacts quicker than oxygen at the mentioned doses. The difference increases at a reduction of the total dose. This phenomenon may be explained by the fact that in the initial period of the reaction, the acetylene and carbon monoxide yields increase due to the catalytic effect of the chamber walls. Glycolaldehyde, formic acid, carbon monoxide, acetylene, and organic peroxides (hydrogen peroxide in a very low yield) are the chief products of oxidation. The formaldehyde yield is 0.15 molecules/100 ev. The dependence of the oxidation process on the interrelation of the initial gases was investigated in the same chamber and under the same conditions. Time of exposure: 15 minutes, dose: 0.55 · 10² ev. Figs. 5-8 show that the reaction rate of ethylene with oxygen strongly depends on the interrelation of the gases in the initial mixture. This dependence is greater in the case of ethylene. The experimental results showed that the reduction of the ethylene content in the initial mixture leads to an almost complete oxidation of ethylene. On the other hand an increase of the ethylene content increases the con-

version of oxygen. An inverse dependence exists in the radiation-chemical Card 2/4

Radiation-chemical Transformations of Organic Substances. Communication 4. Oxidation of Ethylene by Oxygen Under the Action of Fast Moving Electrons

S/062/60/000/009/011/021 B023/B064

authors suggest a reaction mechanism which bases on the formation and further conversions of ethylene peroxide (see Scheme). The authors thank V. S. Bogdanov for his assistance in the research work. There are 8 figures, 3 tables, and 14 references: 5 Soviet, 5 US, 1 Czechoslovakian, 2 British, and 1 German.

ASSOCIATION:

Institut organicheskoy khimii im. N. D. Zelinskogo Akademii nauk SSSR (Institute of Organic Chemistry imeni N. D. Zelinskiy of the Academy of Sciences USSR)

SUBMITTED:

March 2, 1959

 $C_3H_4 - \cdots \rightarrow C_2H_4^+$ $C_3H_4^+ \xrightarrow{O_9} C_3H_4O_3$ $C_3H_4O_3 \longrightarrow HOCH_3CHO$ $C_3H_4O_3 \xrightarrow{C_3H_4} 2CH_3CHO$ $C_4H_4O_3 \xrightarrow{C_3H_4} 2CH_3CHO$ $C_4H_4^+ + O_2 \longrightarrow 2CO + 2H_3$

Card 4/4

 $C_1H_4^+ + 2O_2 \longrightarrow 2CO + 2H_3O$

KISELEV, V. G., Cand. Chem. Sci. (diss) "Gas-Phase Oxidation of Ethylene and Propylene by Oxygen under Effect of Fast Electrons." Moscow, 1961, 12 pp (Moscow State Univ.) 120 copies (KL Supp 12-61, 255).

20943

26.1610

S/062/61/000/003/010/013 B117/B208

AUTHORS:

Mikhaylov, B. M. and Kiselev, V. G.

TITLE:

Radiolytic oxidation of propylene with oxygen

PERIODICAL:

Izvestiya Akademii nauk SSSR. Otdeleniye khimicheskikh

nauk, no. 3, 1961, 527-529

TEXT: In this short communication, the authors report on the oxidation of propylene with oxygen in the gaseous phase. Experiments were conducted under the following conditions: voltage of the accelerating field 120 kv; output amperage 0.1 ma (total dose 0.55.10²³ ev); initial pressure equal to atmospheric pressure, room temperature, ratio of the components 1:1. Oxidation took place in an aluminum chamber of 2 l capacity. The total amount of acids was determined by titration with phenolphthaleine as the indicator; the end point was indistinct owing to the presence of peroxides. The peroxides were determined iodometrically. There was no propylene oxide in the oxidation products. Gaseous oxidation products were chromatographed. CO₂ and oxygen were determined by the absorption method. The results of

Card 1/4

20943

Radiolytic oxidation of propylene ...

S/062/61/000/003/010/013 B117/B208

these experiments are summarized in the table. The data indicate that the main products which form during oxidation of propylene under the action of fast electrons in the gaseous phase are peroxides, acetol, carbon monoxide, and propanal. The absence of acrolein indicates that the methyl group is not oxidized. The high acetol yield may be best explained by addition of the oxygen molecule to the double bond of propylene, and by isomerization of the cyclic peroxide resulting in this way. Propanal is presumably formed by reaction of primary active propylene peroxide with initial propylene. The high carbon monoxide yield indicates that it is no decomposition product of formic acid, but one of the primary products formed in addition to the acid. The scheme of radiolytic oxidation of propylene is thus, in essential, analogous to the scheme suggested in Ref. 1 (B. M. Mikhaylov, V. G. Kiselev, Izv. AN SSSR, Otd. khim. n. 1960, 1619) for the oxidation of ethylene under the action of fast electrons:

$$c_{3}H_{6} \xrightarrow{} c_{3}H_{6}^{*} \xrightarrow{c_{3}H_{6}} c_{3}H_{6}^{*} \xrightarrow{c_{3}H_{6}} c_{2}$$
 $c_{3}H_{6}O_{2} \xrightarrow{c_{3}H_{6}} c_{2} \xrightarrow{c_{3}H_{6}} c_{2}$

Card 2/4

adiolytic oxidation of propylene	S/062/61/000/003/010/013 B117/B208
e peroxide denoted in the scheme by	C3H6O2 is assumed to have the
CH -)H ₂
.e., it is a homolog of the cyclic end 12 references: 2 Soviet-bloc and	thylene peroxide. There are 1 table
지근하는 사람은 그 학교를 하고 있는 사람들이 없는 것은 것이 되었다. 그렇게 되었다.	经收益的现在分词 医自己的 医人口 医结节 医二甲基苯基甲基氯化医二唑二甲基苯基酚
nauk SSSR (Institute of N. D. Zelinskiy, Academ	khimii im. N. D. Zelinskogo Akademii Organic Chemistry imeni y of Sciences USSR)
of ture of the contract of the contract ture of	Urganic Chemistry import
N. D. Zelinskiy, Academ	Urganic Chemistry import
N. D. Zelinskiy, Academ	Urganic Chemistry import
N. D. Zelinskiy, Academ	Urganic Chemistry import
N. D. Zelinskiy, Academ	Urganic Chemistry import

	Radiochi l no.2:	emical conv 267-273 hr-	ersions of orga Ap '61.	nic compounds.	Neftekhimiia (MIRA 15:2)	
21 21 21	1. Ins	titut organ	icheskoy khimii (Radioch (Propene)	AN SSSR im. N.I emistry); (Oxidation)). Zelinskogo.	

S/844/62/000/000/062/129 D204/D307

AUTHORS: Mikhaylov, B. M. and Kiselev, V. G.

TITLE: The oxidation of ethylene and propylene with oxygen under

the action of fast electrons

SOURCE: Trudy II Vsesoyuznogo soveshchaniya po radiatsionnoy khi-

mii. Ed. by L. S. Polak. Moscow, Izd-vo AN SSSR, 1962,

367-373

TEXT: Ethylene oxidized chiefly to peroxides, glycolic aldehyde, HCOOH, CH=CH and CO; small amounts of CH₃CHO, H₂, CO₂ and traces of butylene, CH₂O and CH₃COOH were also found. In an Al reaction maintained at room temperature and initially atm pressure, with C_2H_4/O_2 equal to 1, it was shown that ethylene reacted faster than O_2 on irradiation (0.2 - 1.7 x 10^{23} ev), especially at the lower doses. The reactor walls behaved as a catalyst until they were covered by the liquid products. Dose magnitude exerted little effect on the Card 1/3

The oxidation of ..

S/844/62/000/000/062/129 D204/D307

oxidation yields, for irradiation periods longer than 15 min. Under similar conditions, in oxygen-poor starting mixtures, those processes were favored in which 02 does not play a primary part; oxygen-rich mixtures led to a fuller oxidation of the olefin. Energy yields olefin: 02 ratio (n). The reaction proceeded similarly in Al steel, dary reactions were affected), and was relatively uninfluenced by dary reactions were affected), and was relatively uninfluenced by (Al reactor, room temperature, initially atmospheric pressure, a peroxides, CO and propionaldehyde, with smaller amounts of HCOOH, CH2O and CO2. The reaction is analogous to that of ethylene. It is of 02 across the double bond of the activated olefin, to form cycacetol. Acetaldehyde and propionaldehyde form by the reaction of Card 2/3

ACCESSION NE	EWP(q)/BDS/ C)/GG/JD AP3003559	ENT(1)/EWT(m)/EEC(b).		
AUTHORS: Ka	manskiy, V. B. Nik		/0020/63/151/002/0369/037 dy, G. B.; Kisəlev, V. F	
				2 4
TOPIC TAGS:	Doklady v. 1 EPR, titanium diori	51, no. 2, 1963, 369	-37æ	, , , , , , , , , , , , , , , , , , ,
admia Aon of form of this sorption proce "narrow" or in	explex/electron paragram paragraph on the pressure of the pressure of the oxygen on the self-self-self-self-self-self-self-self-	ranagnetic resonance le containing a test le pressure of the ox oxygen is increased and after 20 mm the ligual are invertible. 3 April 1963. Orig.	was observed after the specimen of amatase. The year, during which the adthen the amplitude of the signal cannot be observed art, has: 2 figures and	· *** ****
ard 1/2,	: Z.ist id	Chemial Pl	upus :	
<u> </u>				

L 14355-63 EPR/EWP(j)/EPF(o)/EWP(q)/EWT(m)/BDS Ps-4/Pc-4/Pr-4 BW/RM/WW/JD/JWD/H AFFTC/ASD/AFHDC/RPL ACCESSION NR. AP3003852 8/0020/63/151/003/0577/0579

AUTHORS: Mikhaylov, B. M.; Pozdnev, V. F.; Kiselev, V. G.

TITLE: Organoboron compounds. Hydroboranizing the dimethyl ether of allylboria

SOURCE: AN SSSR. Doklady*, v. 151, no. 3, 1963, 577-579

TOPIC TAGS: organoboron compound, hydroboranizing allylboric acid, dimethyl ether of allylboric acid, tribornonane, diborcyclooctane.

ABSTRACT: The dimethyl ether of allylboric acid (I) was hydroborated to determine the effect of the (RC)2B group on the course of addition of B to the allyl radical and to check possibility of obtaining compounds containing several B atoms in the molecule. The reaction gave 97% propagediol-1,3, indicating hydroboromation of I is more selective than of Alpha-olefins and the B was added at the double bond end of the hydrocarbon. I reacted with diborane to form tre-(3-dimethoxyboryl-propyl)-boron (II); the latter was methoxylated in presence of ethyl mercaptan to form 1,1,5,9,9-pentamethoxy-1,5,9,-tribornonane, or heated to form 1,5-dimethoxy-1,5-diborcyclooctane (III) with admixture of 1,1,5,5-tetramethoxy-1,5-diborpentane. III was butylaxed to the known 1,5-di-n-butoxy-1,5-diborcyclooctane. Association: Inst. of Organic Chemistry

Card 1/2/

MIKHAYLOV, B.M.; BEZMENOV, A.Ya.; VASIL'YEV, L.S.; KISELEV, V.G.

Cyclic compounds of boron formed during hydroborination of
1,3-butadlene. Dokl. AN SSSR 155 no.1:141-144 Mr '64.

1. Institut organicheskoy khimii im. N.D.Zelinskogo AN SSSR.

Predstavleno akademikom B.A.Kazanskim.

L 19490-65 EPF(c)/EPR/EWA(h)/EWP(j)/EWT(m)/T Pc-4/Pr-4/P8-4/Peb RPL ACCESSION NR: APS002072

AUTHOR: Shchegoleva, T. A.; Shashkova, Ye. M.; Kiselev, V. G.; Mikhaylov, B. M.

TIPLE: Hydroboridation of dienes with chloroborane

SOURCE: AN SSSR. Izvestiya. Seriya khimicheskaya, no. 2, 1964, 365-367

TOPIC TAGS: organoboron compound, chloroborane, boron addition, diene boridation, diallyl, pentadiene, butadiene, borocyclopentane

ABSTRACT: In order to determine the effect of the nature of the diene on additionacross the double bond, the authors studied the addition of chloroborane to diallyl,
pentadien-1,4 and butadien-1,3/in ether solution at room temperature. Chromatoin the 1,6 position (74%), with smaller amounts of 1,5 and 2,5 addition products.
Fractional distillation of this mixture resulted in good yields of pure 1-chloropositions (53% and 47%, respectively), while addition to butadien-1,3 was mostly
in the 1,4 position (75%), with 21% of the 1,3 addition product. The reaction
conditions and yields are given. Orig. art. has: 2 chemical equations.

ASSOCIATION: Institut organicheskoy khimii im. N. D. Zelinskogo Akademii nauk

	R: AP5002072			
SSSR (Insti	tute of Organic	Chemistry, Academy	r of Salences, SSSR)	
SUBMITTED:	2	. ENCL: 00	Sub cede: oc	
NO REF SOV:	001	OTHER: 003		
		No. of the second		
.: sō				
ard 2/2				
		Two diseases		

L 21777-65 EPF(c)/EWG(f)/EWA(h)/EWP(j)/EWT(m)/EWA(1) Pc-4/Pr-4/Peb RAEM(1)

ACCESSION NR: AP4044708

S/0062/64/000/008/1524/1526

AUTHOR: Mikhaylov, B. M., Kiselev, V. G., Bogdanov, V. S.

TITLE: Conversion of water gas by means of fast electrons

SOURCE: AN SSSR Izvestiya. Seriya khimicheskaya, no. 8, 1864, 1524-1526

TOPIC TAGS: water gas, water gas conversion, fast elections, radiolysis, reaction mechanism, bicarbonyl, glyoxal, carbon suboxide, glycd aldehyde, methanol, peroxide formation

ABSTRACT: The radiolysis by fast electrons (115 kev, integral dose rate of 0.4-3.3 x 10^{23} ev) of mixtures of CO and H_2 was studied under equilibrium conditions at room temperature. The product yield, depending on initial composition subjected to radiolysis, is summarized in fig. 1. The main oxygen-containing products were glyoxal. CO_2 and C suboxides $(C_3O_2)_x$; no glycol aldehyde, methanol, peroxides or gaseous hydrocarbons were detected. A small amount of H_2 increased the decomposition of CO; additional H_2 had little effect. 50-56% of

Card 1/3

L 21777-65 ACCESSION NR: AP4044708

the initial C, 25-40% of the H₂ and 70-95% of the O appeared in the radiolysis products, indicating additional compounds (high molecular oxygen containing compounds and hydrocarbons) were formed also. On increasing pressure from 0.2 to 1 atmosphere the yield of all radiolysis products increased except for CO₂ which decreased. The following mechanism was proposed: an excited CO molecule reacts with another CO molecule, even in the presence of H₂, to form the bicarbonyl -CO-CO-, which then reacts with H₂ to form glyoxal. Or the bicarbonyl reacts with additional CO to form CO₂ and the suboxides. Orig. art. has: 3 figures

ASSOCIATION: Institut organicheskoy khimii im. N. D. Zelinskogo Akademii nauk SSSR (Institute of Organic Chemistry, Academy of Sciences, SSSR)

SUBMITTED: 08Jan64


ENCL: 01

SUB CODE: GC

NO REF SOV: 002

OTHER: 005

Card 2/3



MIKHAYLOV, B.M.; KISELEV, V.G.; BOGDANOV, V.S.

Conversion of water gas by fast electrons. Izv. AN SSSR. Ser. khim. no.8:1524-1526 Ag '64. (MIRA 17:9)

1. Institut organicheskoy lhimii im. N.D. Zelinskogo AN SSSR.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722810012-8"

ACCESSION NR: AP5006414		S/0062/65/000/001/0068/0072	
AUTHOR: Mikhaylov, V. M.;	Bubnov, Yu. D.; Kiselev, V.	_G. ∠/∂	
_	unds. Report 136. Boron g 17 . Seriya khimicheskaya, no.		
MPIC TAGS: boron, boron o	rganic compound, germanium,	germanium compound	
hydridestriethylgermanium boric acid. It was found t multiple bond of the allyl hydrocarbons and their vari	Yand triphenylgermaniumto hat these reagents are also radical connected with the ous y-functional derivative	of the addition of germanium of the dimethyl ester of alighton united more easily with the B(OR) ₂ group than with olefines. All operations with the re of dry nitrogen. Triethyl-	· i :

	AP5006414	na par na primera de la composició de la c La composició de la compo	Angele and Marie Control and Antonion and Andrews and Angele and A	1	essentalejari - L	
SOCIATION:	Institut or F Organic Che	ganicheskoy khimii mistry, Academy of	im. N. D. Zeli Sciences SSSR)	nskogo Akademii nau	k SSSR	•
	20Feb63	ENCL:		SUB CODE: G	c, oc	
REF SOV:	800	OTHER	t: 003			
	• •					State of
		100 (100 (100 (100 (100 (100 (100 (100	•			i yaka ili
DC 2/2	artinis 1900. 1900.			1, 2, 3, 3 1, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3,		
2/2			e Asuakkanni si kecili			

MIKHAYLOV, B.M.; KISELEV, V.G.; BUBNOV, Yu.N.

Preparation of α-olefins from trialkylboron. Izv. AN SSSR. Ser. khim. no.5:898-900 '65. (MIRA 18:5)

1. Institut organicheskoy khimii im. N.D.Zelinskogo AN SSSR.

MIKHAYLOV, B.M.; BOGDANOV, V.S.; KISELEV, V.G.

Reduction of carbon dioxide by hydrogen under the effect of fast electrons.

Izv. AN SSSR. Ser. khim. no.7:1271-12/3 165. (MIRA 18:7)

1. Institut organicheskoy khimii im. N.D.Zelinskogo AN SSSR.

	EWP(e)/EWT(n)/EWP(
ACC NR: AP600	i922	SOURCE CODE	: UR/0079/66/036/0	01/0062/0066	
NUTHOR: Hikhay	lov, B. M.; Bubnov,	Yu. N. : Kiselev	, V. G.	49	100
ORG: pone				430	
	1		고층 : 그런 경우 (왕시) 교고를 당류하다고 한다 1일 (당동)	62	
to eliminate o	oron compounds. CL	.VIII. Comparati	As capacity of polo	u triankara	
	l obshchey khimii,	w 26 ma 1 10	22.62		
		ላያ	성공급계상학 다른 이루고 하다		
TOPIC TAGS: 01	ganoboron compound	olefin, hydroca	rbon, aldehyde, iso	merization	
	heated with aldehy				e :
Merin nyurocai	bons to form esters	or dialkyl- or	alkylboronic acids:		100
	(BR.CHCH ²) ³ B + C ⁴ H ² CHO	80-100° RR'C=CH2+(RR'CHCHa)aBOCHaCaHa		
) (RR'(CHCH ₄) ₂ BOCH ₂ C ₄ H ₅ + C ₄ H ₅ (R = H, CH, C,H ₆ , (CH ₄),C	CHO 150-2000 RR'CHC	$H_sB(OCH_sC_0H_g)_s + RR'C=0$ $L+R'=(CH_0)_s$ (CH_0).	16	

SHCHEGOLEVA, T.A.; SHASHKOVA, Ye.M.; KISELEV, V.G.; MIKHAYLOV, B.M.

Organoboron compounds. Part 158: Hydroboration of dienes by n-butylmercaptoborane. Zhur. ob. khim. 35 no.6:1078-1083


Je '65. (MIRA 18:6)


KISELEV, V. I.

"Rationalization of Technology in the Production of Cinder-Concrete Stones on the Pase of Cinders from Coals of the Moscow Area." Sub 17 Avr 51, Central Sci Res Inst of Industrial Structures (TsNIPS)

Dissertations presented for science and engineering degrees in Moscow during 1951.

SO: Sum. No. 480, 9 May 55





USSR/Cultivated Plants. Cereals.

Abs Jour: Ref Zhur-Biol., No 17, 1958, 77649.

KISELE

Author : Kiseley, V-I.
Inst : Alm-Alta Zooveterinary Institute .- Chair of Chart Browing : Perspectives of Cultivation of Soy Under Conditions Title

of South Kozakhstan.

Orig Pub: Tr. Alma-Atinsk. zoovet. in-ta, 1957, 10, 127-

132. The wife has a fact that the second

Abstract: Results of experiments of 1955-1956 as regards agro-

techny (periods and nothods of sowing, influence of fertilizers, periods and quantity of waterings) and variety testing of soy in conditions of irrigated agriculture in the roothill zone of Alma-Atinskaya Oblast. The variety Local proved to be

West with the start of Physician and Marc - or the

: 1/2

CIA-RDP86-00513R000722810012-8 "APPROVED FOR RELEASE: 09/17/2001

9.8200 3,6000

\$/050/61/000/001/007/007 B012/B058

AUTHOR:

Kiseley V

TITLE:

Complex Device for Hydrological Remote Measurements in the

Sea

PERIODICAL: Meteorologiya i gidrologiya, 1961, No. 1, pp. 49-53

Starting in 1954, a device has been designed, built, and tested TEXT: in the sea by the author and G. I. Priymak, I. P. Zhukov, S. N. Dolgov, and Zu. I. Naumenko. A short description of it is given here. The complete device serves for remote measurements (in a wide range) of the mean temperature of sea water with an accuracy of 0.10 and of the temperature microfluctuations with an accuracy of up to 0.0050, as well as the turbulent velocity of the current within the limits of from 0 to 80 cm/sec with an accuracy of from 1 to 5% at 50 cm/sec and more, and the pulsation of the current velocity with an accuracy of 0.1 mm/sec. The device consists of a set of measuring circuits with the various pickups which are placed in a stand, as well as of a corresponding recording part. A 24-loop oscilloscope

Card 1/4

88351

Complex Device for Hydrological Remote Measurements in the Sea.

S/050/61/000/001/007/007 B012/B058

of the type "OT-24-51" (OT-24-51) from the "Geofizika" Plant in Moscow used for synchronous recording. The device permits obtaining a spatial picture of the microfluctuations at a depth of up to 100 m, for a total depth of the sea at the test site of up to 500 m and a distance of the recording part from the measuring part of up to 1000 m. The device is based on the use of ground anchors and submergible flotage, the greatest possible reduction of the possible rolling, as well as exact fixation of the system position below water being warranted for each individual moment by means of special pickups. The temperature measurement is made with the aid of a d.c. bridge circuit with compensation, a resistance thermometer from 0.05 mm copper wire with reinforced lacquer coating being connected as pickup to one bridge arm. At a cable length of up to 1000 m, the mean temperature within the range of from 5 to 27°C can be measured with an accuracy of 0.10, and the temperature fluctuation of 0.0050 and more (at a frequency of up to 10 cycles) can be recorded by means of the oscilloscope mentioned. The current velocity is also measured by a d.c. bridge circuit, the "MT-54" (MT-54) thermistor (design by V. G. Karmanov,

Card 2/4

Complex Device for Hydrological Remote Measurements in the Sea

S/050/61/000/001/007/007 B012/B058

built by the eksperimental nyye masterskiye Agrofizicheskogo instituta (Test Workshops of the Institute of Agricultural Physics) in Leningrad) being connected to one bridge arm as velocity pickup. The measurement is based on the thermoanemometric method. The relative direction of current is determined by means of a d.c. remote transmission by a potentiometer. The actual direction of current is determined by means of an aircraft compass "NAK-3" (PDK-3). The pickups are fitted to a special frame and placed in the sea. A modern device consisting of a stand and a 30-core cable with pickups was used in the ocean in 1960. The device made it possible to connect the pickups successively to the corresponding circuits by means of step-by-step selectors. The temperature- and current-velocity pickups were connected directly to the circuits, while all other pickups were connected via the step-by-step selectors. The device was mounted at a distance of 7 miles from the shore and a depth of about 100 m. The stand was placed on an anchored vessel, and the influence of the rolling of the ship on the measurements was eliminated. A new device for the remote measurement of all elements of the wave movement has been finished

Card 3/4

88361

Complex Device for Hydrological Remote S/050/61/000/001/007/007 Measurements in the Sea B012/B058

now. There are 2 figures and 1 Soviet reference.

SOV-91-58-9-9/29

AUTHORS:

Kiselev, V.I. and Pavlovskiy, S.A.; Technicians

TITLE:

Covers for Chemical Water Purifying (Kolpachki dlya khim-

vodoochistki)

PERIODICAL:

Energetik, 1958, Nr 9, pp 17-18 (USSR)

ABSTRACT:

The plastic sodium cationite and mechanical filter covers produced at the Moscow "Karbolit" Plant for use in chemical water purifying installations in electric power plants are not durable enough and tend to break up. The authors describe a new metallic filter cover made from defective turbine condenser tubes. The covers could also be prepared from vinyl plastic tubes of a suitable diameter. There

are 2 photos and 3 diagrams.

1. Water--Purification 2. Water filters--Equipment

Card 1/1

KISELEV. V.I.

Subject

: USSR/Electricity

Card 1/1

Pub. 29 - 10/35

Authors

: Kiselev, V. I., Technician, and A. N. Chernova, Eng.

AID P - 2960

Title

Reestablishment of exchange capacity of sodium- and

hydrogen-zeolite filters during flood

Periodical

Energetik, 3, 5, 14-15, My 1955

Abstract

: During annual floods of the Belaya River, the quantity of suspended matter in the feed-water of a steam electric power station working with the river water greatly increases. The authors describe the method

used to reestablish regular functioning of feed-water-

treatment apparatus.


Institution:

None

Submitted

No date

"Impact of certain social institutions and customs on economic development of under-developed countries" report to be submitted for the United Nations Conference on the Application of Solance and Technology for the Benefit of the Less Developed Areas - Geneva, Switzerland, 4-20 Feb 63.



	Surgery in large embryonal hernimat.i det. 7 no.4:90-91 Ap '62.		(MIRA 15:11)		
1. Iz kafedry gospital noy khirurgii (zav prof. A.V.Obchin Altayskogo meditsinskogo instituta (rektor - dotsent F.M. Kolomiytsev).					
	(HERNIA)	(INFANTS	(NEWBORN)DISEASES)		

KISELEV, V. I. (Barnaul, M. Olonskaya, d. 13, kv. 28); POPOVA, L. I.

Two cases of a primary malignant tumor of the pleura. Grud. khir. 4 no.1:109-110 Ja-F '62. (MIRA 15:2)

1. Iz kafedry gospital noy khirurgii (zav. - prof. V. P. Radushkevich) i kafedry rentgenologii s meditsinskoy radiologiyey (zav. - dotsent M. M. Mikhaylov) Voronezhskogo gosudarstvennogo meditsinskogo instituta.

(PLEURA---CANCER)

ISKENDEROV, Akhmed Akhmedovich; KISELEV, Vladimir Ivanovich;
ROZALIYEV, Yuriy Nikolayevich; DAVIDOVA, Yu.F., red.;
ATROSHCHENKO, L.Ye., tekhn. red.

[Labor movement in Asia and Africa] Rabochee dvizhenie v
Azii i Afrike. Moskva, Izd-vo "Znanie," 1963. 32 p. (Novoe v zhizni, nauke, tekhnike. 1 Seriia: Istoriia, no.18)

(Asia--Labor and laboring classes)

(Africa--Labor and laboring classes)

(Africa--Labor and laboring classes)

KISELEV, V.I., prof., doktor tekhn. nauk; NIKULIN, V.B., kand. tekhn. nauk; USHAKOV, V.I., inzh.

Removal of water in pneumatic mine networks under permafrost conditions. Gor. zhur. no.7:48-50 Jl '63. (MIRA 16:8)

1. Moskovskiy institut stali i splavov.

KISELEV, V.I. Action of different antibiotic combinations on dipttherial bacteria. Antibiotiki 8 no.8:744-746 Ag '63. (MIRA 17:5) 1. Gor'kovskiy institut epidemiologii i mikrobiologii.

RADUSHKEVICH, 1.P., prof.; KISELEV, V.I., kand. med. nauk

Management of penetrating injuries of the chest in peacetime. Kh rurgiia no.1:56-58 '63. (MIRA 17:5)

1. Iz gospital noy khirurgicheskoy kliniki (zav. - prof. V.P. Radushkevich) Voronezhskogo meditsinskogo instituta.

KISELEV4V818

- 1. KISELEV, V. I.
- 2. USSR (600)

"Mintsvetmetzoloto" (Moscow Institute of Nonferrous Metals and Gold).
"The Determination of the Optimum Workin Load for Ship Loaders", Tsvet.
Met. 14 No 7, July 1939.

9. Report U-1506, 4 Oct 1951.

KISELEV, V. I.

Mashinist rudnichnoi nasosnoi ustanovki. Moskva, Metallurgizdat, 1943. 111 p. illus. (V pomoshch'rabochim messovykh professii)

Engineer of mine-pump installations.

DLC: TN 325.K5

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953

KISELEV, V. I.

Nasosy, kompressory, vozdukhoduvki i ventiliatory. Moskva, Metallurgizdat, 1943. 151 p. illus.

Bibliography: p. 149

Air pumps, compressors, blowers and ventilators.

DLC: TJ950.K5

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

KISELEV, V. I.


Gornaia mekhanika; rudnichnye, pod"emnye, vodootlivnye, pnevmaticheskie i v ventiliatornye ustanovki. Utverzhdeno v kachestve uchebnika dlia vtuzov. Moskva, Metallurgizdat, 1946. 503 p. illus.

Bibliography: p. 497.

Mining engineering; mining, hoisting, pumping, pneumatic and ventilating units.

DLC: TN145.K5

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.



LEV, V. I.			N/5
			741.31 .K6 1952
Gornaya Mekhanika; Rudni Pod'yemnyye Ustanovk) (M Hoisting Equipment) 2 Pe	ining mechanics; Dra	ining, Pneumatic,	Ventilating and
627 P. Illus., Diagrs.,	Tables.		
Contains Fibliographies.			

KIEBLEV, V.I.; SAVIN, G.H., professor, doktor, retsensent; MARAROV, V.S.,

Professor, doktor, retsensent; MATVETEV, M.A., redektor; IEZDOKOVA,

M.L., redektor; VAYNSHTEVE, Ie.B., tekhnicheskiy redektor

[Hoists for deep mines] Pod*emnye ustanovki dlia glubokikh shakht,

Moskva, Gos. nauchno-tekhn. izd-vo lit-ry pe chernol i tavetnoi

metallurgii, 1954. 227 p. [Microfilm] (MIRA 7:10)

1. Vitse-president AN USSR (for Savin)

(Mine hoisting)

PAK, Vitol'd Stepanovich, professor; GETER, Viktor Georgievich; professor doktor tekhnicheskikh nauk; KISELEV, V.I., redaktor; ZEMSKOV, P.F., redaktor; ANDRETEV, G.V., teknnicheskiy redaktor.

[Mine ventilating and draining systems] Rudnichnye ventiliatornye i vodoctlivnye ustanovki. Moskva, Ugletekhizdat, 1955. 352 p.

1. Maystvitel'myy chlen AN USSR.

(Mine ventilation) (Mine pumps)

KISELEV, [.I.								
	Multiple-cable friction pulley. Gor. shur. no. 12:25-31 D 156.							
	1. Moskovskiy institut tsvetnykh metallov i zolota. (Hoisting machinery)							

AUTHOR: Kiselev, V.I. 127-12-11/28

TITLE: On the Standardization of Skips for Non-Ferrous and Ferrous Metallurgy Mines (O standartizatsii skipov dlya rudnikov tsvetnoy i chernoy metallurgii)

PERIODICAL: Gornyy Zhurnal, 1957, No 12, pp 38-41 (USSR)

ABSTRACT: The Chair of Mining Mechanics of the Moscow Institute of Non-Ferrous Metals and Gold has carried out a work on standard-ization of dump skips for all types of ore. The work was performed by V.I. Kiselev, M.A. Matveyev, I.V. Kulikov and K.A. Senik. The existing at present standard skips of the "Giprots-vetmet", "Giproruda" and "Krivbassproekt" differ from one another by capacity and main dimensions, a fact which causes great inconvenience. Analysing the available material and certain theoretical relationships the author proposes the following measures:

1. To accept unique standards for skips employed in the mines of ferrous and non-ferrous metallurgies;

2. The skip capacity should be put into the basis of standard-ization;

3. To accept as standards the following series of capacities:

Card 1/2 1; 1.5; 2.25; 3.3; 5 and 7.5 m³;

CIA-RDP86-00513R000722810012-8 "APPROVED FOR RELEASE: 09/17/2001

127-12-11/28

On the Standardization of Skips for Non-Ferrous and Ferrous Metallurgy Mines

4. Skips exceeding 7.5 m3 are to be considered as non-stand-

The article contains 5 graphs and 2 tables.

ASSOCIATION: Moscow Institute of Non-Ferrous Metals and Gold (Moskovskiy

institut tsvetnykh metallov i zolota)

AVAILABLE:

Library of Congress

Card 2/2